



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> (use as many sheets as necessary)				Complete If Known	
				Application Number 09/696,350 Filing Date 10/24/2000 First Named Inventor Richard Heller Group Art Unit 3763 Examiner Name Attorney Docket Number 24394	
Sheet	1	of	1		

## FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. <sup>3</sup>	Foreign Patent Document			Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>6</sup>
		Office	Number*	Kind Code* (If known)				
WJH	AA	WO	98/47562		Ichor Medical Systems, Inc.	4/23/98		

## OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or county where published.	T <sup>2</sup>
WJH	AB	RICHARD E. GILBERT, MARK J. JAROSZESKI, and RICHARD HELLER, <i>Novel Electrode Designs for Electrochemotherapy</i> , Biochimica et Biophysica Acta 1334, 1997, pp. 9-14.	
	AC	<i>Electroporation Tutorial</i> , <a href="http://www.cytopulse.com/portut.html">http://www.cytopulse.com/portut.html</a> , printed from the Internet 12/17/98, pp. 1-2.	
	AD	<i>What is Pulse Agile?</i> , <a href="http://www.cytopulse.com/process.html">http://www.cytopulse.com/process.html</a> , printed from the Internet 12/17/98, 1 page.	
	AE	<i>Equipment Options for the PA-4000</i> , <a href="http://www.cytopulse.com/pa4000op.html">http://www.cytopulse.com/pa4000op.html</a> , printed from the Internet 12/17/98, pp. 1-2.	
	AF	<i>Model PA-4000 Pulse Agile Electroporation System</i> , <a href="http://www.cytopulse.com/pa4000.html">http://www.cytopulse.com/pa4000.html</a> , printed from the Internet 12/17/98, pp. 1-2.	
WJH	AG	Screen Capture of PA-4000 Pulse Agile Interface, Version 1.2, <a href="http://www.cytopulse.com/graphics/pps2.gif">http://www.cytopulse.com/graphics/pps2.gif</a> , printed from the Internet 12/17/98, pp. 1-2.	

Examiner Signature	Michael J. Hays	Date Considered	6/11/03
-----------------------	-----------------	--------------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Unique citation designation number. <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.